

FLOS

F7441000 Polished Aluminium

Taraxacum 88 Suspension 2

Designed by Achille Castiglioni, 1988



LED retrofit - 120 x 28W

Suspension fixture providing direct and reflected lighting. Structure formed by 20 pressed, polished aluminum triangles. 120 clear Globolux lamps housed around the structure. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	LED retrofit
Lamp holders	E27
Iicos	HSGSG
Number of heads	120
Power (W)	28

Physical

Colour	Polished Aluminium
Length (mm)	1050
Cord length (mm)	6000
Canopy dimension (mm)	85
Canopy width (mm)	180
Net weight (kg)	40.3
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	1.44
IP internal	20




Download

[Mounting instructions](#)



IK	IP
00	20

Schematic light drawing



Luminous flux luminaire
26400 lm

Photometric

Lighting type	Total
Light distribution	Asymmetric

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF24894

LED Global Lamp 3W 200lm E27
180-265V 2500K



INCLUDED

RF27119

LED Global Lamp E27 3W 2500K
Dimmable (Set 15pcs)

Spare Parts



02. E27 Lamp Holder Black

RF03927



RF03927

E27 Lamp Holder Black